

Page 1/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

SECTION 1: Identification of the substance/mixture and of the company, undertaking

- · 1.1 Product identifier
- · Trade name: OH4.008 FINE TEXTURE
- · Article number: OH4.008
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** use as industrial paint
- · Sector of Use

SU3 Industrial Uses: Uses of substances such as or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Application of the substance / the mixture refer to the relevant Technical Data Sheet
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Générale de Peinture, 36 rue Scheffer
 75116 PARIS, France info@generalpaint.biz

· Further information obtainable from: Product Safety Department

• 1.4 Emergency telephone number: +961 9 925 990/1/2

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008) with its amendment Regulation (EU) 2020/878



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

| | (Contd. of page |
|---------------|--------------------------------------------------------------------------------------|
| Hazard pict | ograms |
| \wedge | \wedge |
| | |
| | • |
| GHS02 G | HS07 |
| 011002 0 | 1007 |
| Signal word | I Danger |
| Hazard-det | ermining components of labelling: |
| n-butyl aceta | ate |
| Hazard stat | ements |
| H225 Highly | r flammable liquid and vapour. |
| H315 Cause | es skin irritation. |
| H336 May c | ause drowsiness or dizziness. |
| Precaution | ary statements |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition source |
| | No smoking. |
| P241 | Use explosion-proof [electrical/ventilating/lighting] equipment. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P303+P361 | +P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse sh |
| | with water [or shower]. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/nation |
| | international regulations. |
| 2.3 Other ha | azards |
| Results of I | PBT and vPvB assessment |
| PBT: Not ap | pplicable. |
| vPvB: Not a | pplicable. |

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3) GB

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

| · Dangerous components: | (0 | Contd. of page 2 |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------|--------------------|
| CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29 | n-butyl acetate � Flam. Liq. 3, H226; � STOT SE 3, H336 | >25- <i>≤</i> 50% |
| CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119486136-34 05-2116602925-45 01-2119488216-32 | | >10- <i>≤</i> 25% |
| CAS: 123-42-2 EINECS: 204-626-7 | diacetone alcohol, technical | >2.5- <i>≤</i> 10% |
| CAS: 64742-95-6 EINECS: 265-199-0 Reg.nr.: 01-2119455851-35 05-2116598517-27 | | <i>≤</i> 2.5% |
| CAS: 100-41-4 EINECS: 202-849-4 Reg.nr.: 01-2119489370-35 | ethylbenzene | <i>≤</i> 2.5% |

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)



Page 3/11



Page 4/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Regulation (E

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

(Contd. of page 3)

Trade name: OH4.008 FINE TEXTURE

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- SECTION 6: Accidental release measures
- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

GB



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

(Contd. of page 4)

| SEC | TION 8: Exposure controls/personal protection |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ontrol parameters |
| | ional information about design of technical facilities: No further data; see section 7. |
| · Ingre | dients with limit values that require monitoring at the workplace: |
| | 6-4 n-butyl acetate |
| | Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm |
| | 20-7 xylene |
| WEL | Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV |
| 123-4 | 2-2 diacetone alcohol, technical |
| WEL | Short-term value: 362 mg/m³, 75 ppm Long-term value: 241 mg/m³, 50 ppm |
| 100-4 | 1-4 ethylbenzene |
| WEL | Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk |
| · Ingre | dients with biological limit values: |
| - | 20-7 xylene |
| | V 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid |
| Addit | ional information: The lists valid during the making were used as basis. |
| • Perso • Gene Keep Imme Wash | xposure controls onal protective equipment: ral protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing hands before breaks and at the end of work. |
| Avoia | contact with the skin. contact with the eyes and skin. iratory protection: |
| In cas | se of brief exposure or low pollution use respiratory filter device. In case of intensive or longe sure use self-contained respiratory protective device. |
| 5,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | (Contd. on page 6 |



Page 6/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

(Contd. of page 5)

Trade name: OH4.008 FINE TEXTURE

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| 9.1 Information on basic physical a General Information | ind chemical properties | |
|--------------------------------------------------------------------------------------|-------------------------|--|
| · Appearance: | | |
| Form: | Liquid | |
| Colour: | Transparent | |
| · Odour: | Characteristic | |
| · Odour threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling ra | nge: 124-128 °C | |
| · Flash point: | 15 °C | |



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

| | (Contd. of page 6 |
|------------------------------------------------------|---------------------------------------------------------------------------------------------|
| · Flammability (solid, gas): | Highly flammable. |
| · Auto-ignition temperature: | 370 °C |
| · Decomposition temperature: | Not determined. |
| · Ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · Explosion limits: | |
| Lower: | 1.1 Vol % |
| Upper: | 7.5 Vol % |
| · Vapour pressure at 20 °C: | 10.7 hPa |
| · Vapour pressure at 50 °C: | 55 hPa |
| · Density at 20 °C: | 1.02 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Fully miscible. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 53.9 % |
| VOC (EC) | 549.4 g/l |
| Solids content: | 14.1 % |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications. • **10.3 Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 8)

GB



Page 8/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

(Contd. of page 7)

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 9)



Page 9/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

(Contd. of page 8)

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 Recommendation
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

| · 14.1 UN-Number · ADR, IMDG, IATA | UN1263 |
|------------------------------------------------------------------------------------------------------------|-----------------------------------|
| · 14.2 UN proper shipping name · ADR · IMDG, IATA | 1263 PAINT PAINT |
| · 14.3 Transport hazard class(es) | NOT APPLICABLE |
| · ADR, IMDG, IATA | |
| · Class | 3 Flammable liquids. |
| · Label | 3 |
| · 14.4 Packing group · ADR, IMDG, IATA | <i>III</i> |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user Hazard identification number (Kemler code): | Warning: Flammable liquids. 30 |
| · EMS Number: · Stowage Category | F-E, <u>S-E</u> A |
| 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code | f Not applicable. |
| | (Contd. on page 1 |



Page 10/11

Safety data sheet

according to 1907/2006/EC, Article 31) with its amendment

Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

| | (Contd. of page |
|-------------------------------------------------------|--------------------------------------------------|
| Transport/Additional information: | |
| · ADR | |
| Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 r |
| · Transport category | 3 |
| Tunnel restriction code | D/E |
| ·IMDG | |
| · Limited quantities (LQ) | 5L |
| Excepted quantities (ÉQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 r |
| · UN "Model Regulation": | UN 1263 PAINT, 3, III |
| | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors

- None of the ingredients is listed.
- · Regulated poisons

None of the ingredients is listed.

- · Reportable explosives precursors
- None of the ingredients is listed.
- · Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

GB



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31) with its amendment Regulation (EU) 2020/878

Printing date 30.11.2023

Version number 1.0

Revision: 30.11.2023

Trade name: OH4.008 FINE TEXTURE

(Contd. of page 10)

| | ON 16: Other information rmation is based on our present knowledge. However, this shall not constitute a guarantee f |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | cific product features and shall not establish a legally valid contractual relationship. |
| Relevan | t phrases |
| H225 Hi | ghly flammable liquid and vapour. |
| | ammable liquid and vapour. |
| | ay be fatal if swallowed and enters airways. |
| | armful in contact with skin. |
| | nuses skin irritation. |
| | |
| | nuses serious eye irritation. |
| | armful if inhaled. |
| | ay cause respiratory irritation. |
| | ay cause drowsiness or dizziness. |
| Н373 Ма | ay cause damage to organs through prolonged or repeated exposure. |
| IATA: Inter GHS: Glob EINECS: E ELINCS: E CAS: Cher VOC: Vola PBT: Persi VPVB: very Flam. Liq. : Flam. Liq. : Acute Tox. Skin Irrit. 2 | rnational Maritime Code for Dangerous Goods national Air Transport Association ally Harmonised System of Classification and Labelling of Chemicals European Inventory of Existing Commercial Chemical Substances iuropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) tile Organic Compounds (USA, EU) sistent, Bioaccumulative and Toxic Persistent and very Bioaccumulative 2: Flammable liquids – Category 2 3: Flammable liquids – Category 3 4: Acute toxicity – Category 4 : Skin corrosion/irritation – Category 2 |
| | Serious eye damage/eye irritation – Category 2 3: Specific target organ toxicity (single exposure) – Category 3 |
| | 2: Specific target organ toxicity (repeated exposure) – Category 3 |
| | 1: Aspiration hazard – Category 1 |
| | ompared to the previous version altered. |
| | |